

# **MAFG 03.01 UNIVERSAL ELECTROPHYSIOLOGICAL SYSTEM FOR BIO-ENERGETIC INFORMATIONAL DIAGNOSIS AND TREATMENT**

## **A. GENERAL**

### **1. Object and scope**

*The MAFG-03.01 Universal Electrophysiological System is a medical device patented by Dr. Emilian Dobrea and Eng. Tomescu Ion in Romania and Israel. It is internationally approved and certified by BUREAUVERITAS based on a EC Certificate as a Class IIA device (any adult can use the device after being instructed by the dealer) to be used for the detection of micro-organisms in the human body and for their treatment (destruction). The device is officially registered at the Ministry of Health of Romania and Mexico. It should be noted that the frequency range chosen for the design of the MAFG-03.01 device covers micro-organisms with frequencies of millions of Hz, that is, over 87% of pathogens (micro-organisms) known worldwide.*

*As regards the human body, in order to localize the micro-organism, the frequency response in the circuits Left Hand-Right Hand, Left Hand-Left Leg, Left Hand-Right Leg, Right Hand-Right Leg, Right Hand-Left Leg, Left Leg-Right Leg is determined using the same frequency range, the same frequency step, the same amplitude and the same type of signal.*

*The concept of bio-energetic informational diagnosis and treatment is based on the detection of pathological centres or systems with abnormal electromagnetic poles and their removal, as well as on the detection of elements capable of oscillating in harmony with normal electromagnetic frequencies. Therefore, the poles of the bio-energetic informational equipment, resonating with the molecular-atomic and subatomic components (protons, neutrons, other particles), are capable of transporting and transmitting the information needed to restore the healthy function of the human body.*

*The bio-energetic informational medicine, the true medicine of the future, aims at monitoring the exchange of electrical signals, being able to determine the cause of the illnesses, catching the disease in its early stage, not yet manifested, thus determining a decisive therapeutic influence to the detriment of certain palliative measures based on symptoms.*

*Radiant waves travel in space, transporting large amounts of energy and information. Everything in the universe and on earth exists in an energetic-informational form. The energy waves of certain frequencies and amplitudes of living organisms contain information about the source, meaning that they represent the radiations of all systems and organs.*

*The therapy consists in correcting the functions of the body by neutralizing the pathological functions and by restoring the physiological functions, the changes taking place at the cell level.*

*This method enables the diagnosis and treatment of many diseases, without the invasive pharmaceutical-therapeutic intervention.*

*Biofeedback treatment uses no electrical stimulation, but takes over the signals produced by the body, processes and normalizes them and then returns them back to the organ concerned, thus producing the homeostasis normalization effect.*

*The MAFG-03.01 Universal Electrophysiological System receives information from the patient and separates the physiological signals from the pathological signals, processing the energetic information and transposing it into a chart that attests the presence or absence of the pathogen, and then retransmits such information to the patient, by therapy, which leads to the regulation of affected function.*

*The purpose of biofeedback diagnosis and treatment is to restore an optimal energetic-informational circulation at the organ and system level.*

*The MAFG-03.01 Universal Electrophysiological System is designed to generate constant or variable sinusoidal, rectangular or triangular amplitude, frequency and phase signals that are used to determine the frequency response of an external circuit to which this signal is applied.*

*The same medical device MAFG-03 is equipped with specialized circuits that enable the reading of the effective voltage applied and of the current generated in the external circuit to which this signal is applied.*

*The medical device MAFG-03 has two identical channels galvanically insulated between them and in relation to the power supply and to the USB cables that ensure the connections to an external LAPTOP.*

*In order to determine the frequency response, in the form of current/frequency or impedance/frequency charts, program packages embedded in the channel's microcontroller, as well as program packages installed on the LAPTOP are designed and installed in order to ensure the synchronization commands between the generated signal (with programmed parameters) and measured voltage and current values.*

*From a functional point of view, the medical device MAFG-03.01 requires a LAPTOP with Windows 10, hardware i7 and at least 2 USB3 ports, the program package MAFG-03.01 installed and two USB cables connected between the LAPTOP and the MAFG-03.01 system.*

*Based on the description above, the current/frequency or impedance/frequency response charts for any external circuit coupled to one of the two channels of the MAFG-03 device can be determined.*

*When using the MAFG-03.01 device to determine the frequency response of a circuit of the human body circuit, for example the circuit between the left hand and the right hand, the current/frequency or impedance/frequency response chart can be determined for a selected frequency range, a certain type of signal (sinusoidal, rectangular or triangular), a certain frequency step and a certain amplitude value of the signal.*

*According to the scientific literature (see "The cure of all diseases", Dr. Hulda Clark), any living micro-organism emits certain frequencies from a well-defined frequency spectrum, whether it is found in the human body, in the animal body or in another medium allowing it to live and grow, and any micro-organism that ages or is dead may be located through a much narrowed frequency spectrum up to the level of a single frequency that is within the emission spectrum of that living micro-organism.*

*In this case, if a fixed voltage (non-stabilized) and variable frequency signal between two values corresponding to the emission spectrum of a certain micro-organism is applied to a circuit of the human body formed, for example, between the left hand and the right hand and the average value of the current generated in this circuit for each frequency value within the frequency spectrum is measured, then the existence of a living micro-organism within this frequency range will lead to the energy absorption at each value of the emission frequency within its own emission spectrum and, respectively, to the increase of the current consumed. Such behaviour is equivalent, in the circuit of the selected human body, to the existence of certain serial resonant electric circuits whose wiring scheme is specific to that micro-organism. For dead microorganisms, the behaviour is equivalent to the presence of parallel resonant circuit(s).*

*During operation, the MAFG-03.01 Universal Electrophysiological System uses the frequencies of certain micro-organisms and their frequency spectrum published by Dr. Hulda Clark and Grigorij Grabovoj as a result of over 40 years of experience in this field. It should be noted that an extremely large and valuable database containing the resonance frequencies of micro-organisms and more, which is published and also built into mass produced equipment, is found in VEGA EXPERT medical equipment produced by the German VEGA Group.*

*The biofeedback detection and the treatment with the MAFG-03.01 Universal Electrophysiological System have been confirmed in specialized medical laboratories using classic medical testing procedures.*

## **TYPES OF DISEASES FOR WHICH THE DEVICE IS USED AND TYPES OF THERAPIES.**

The device can be used with maximum success for the detection and therapy by electroporation of pathogens such as viruses, parasites, bacteria, nanobacteria, fungi and for the treatment of certain **types of diseases** such as: Neuroborreliosis, Chagas, Dengue, Malaria, Borreliosis (Lime disease), nosocomial infections, Schistosomiasis, Leishmaniasis (Leishmania Mexicana, Braziliensis, Tropica, Donovanii), Mycoplasmosis, Nanobacteria, Tetanus, Salmonella, Rotavirus, Toxoplasmosis, Cholera, gastric disorders, as well as other extremely severe diseases.

## **HOW IS THE PATIENT DIAGNOSED**

The patients can be diagnosed in two ways using the device:

- In the laboratory for most patients, and when coming for therapy, the diagnosis can be checked by making the chart using the device, for the disease group indicated by the laboratory - for certainty. The diagnosis is confirmed based on the fact that the image of the chart is irregular with streaks resembling pyramid peaks.
- Directly through the chart, in cases of patients where the diseases are caused by infections with micro-organisms such as viruses, oncovirus or Cell Wall Deficient microorganisms, the tests can be done through charts by applying the appropriate frequency specified in the specialized texts.

## **MAJOR RESULTS OBTAINED IN THE TREATMENT OF CERTAIN DISEASES USING THE DEVICE**

The device has been used and is used for the entire spectrum of causes and consequences for degenerative diseases and remarkable results have been obtained in: multiple sclerosis (MS associated retrovirus), myelitic encephalomyelitis (XMRV - Xenotropic Murine Leukemia Related Virus) Neuroborreliosis, Chagas, Dengue, Malaria, Schistosomiasis, Leishmaniasis (Leishmania Mexicana, Braziliensis, Tropica, Donovanii), Mycoplasmosis, Nanobacteria, nosocomial infections, Tetanus, Salmonella, Rotavirus, Toxoplasmosis, Cholera, gastric disorders, as well as other extremely severe diseases.

## **COMPARISON BETWEEN WHAT THE DEVICE DOES AND WHAT THE ALLOPATHIC MEDICINE FAILS TO DO IN THE TREATMENT OF VARIOUS DISEASES AND FUNCTIONALITIES OF THE DEVICE**

The device works in the frequency spectrum of the biological window of existence of micro-organisms that can also be detected by Real Time PCR (Polymerase Chain Reaction), but that cannot yet be destroyed by chemical or biological drugs due to their particular structure. (Viruses, mycoplasmas, nanobacteria, borelli, ehrlichia, toxoplasmosis, Chagas, Dengue). In these cases, there is a unique possibility to act non-invasively for the specific therapy using the device.

## **HOW ARE THE THERAPY FREQUENCIES DETERMINED**

The frequencies are taken from the specialty books of famous physicians around the world who have dealt with and still deal with this type of integrative bio-functional medicine. The main sources are: the books of the American author Dr. Hulda Clark,

the Russian author Dr. Grigorij Grabovoj, as well as from other sources. **THE FREQUENCY BOOKS ARE DELIVERED WITH THE MEDICAL DEVICE TO THE BUYER.** For those who want to verify the truthfulness of the frequency values in case of diagnosed diseases, it can be confirmed by biofeedback using the software created in Germany for the Vegatest Expert device where the organs of the human body are located in frequency code. **THE WORKING PROCEDURES ARE SEMI-AUTOMATED, PREINSTALLED IN THE DEVICE.**

## **HOW IS THE TYPE AND DURATION OF THE THERAPY DETERMINED –**

The type and duration of the therapy is determined automatically, depending on the range size on the chart.

## **WHICH ARE THE PRE- AND POST-THERAPY RESTRICTIONS AND HAZARDS FOR PATIENTS**

The therapy cannot be performed on individuals with pacemaker, stents, coronary bypass, rods in the body, open wounds, pregnant women and children under 5 years of age. No side effects have been observed in other groups of individuals. There are no other hazards for patients, the device ensures total protection, confirmed by Test Reports prepared by specialized institutions recognized in the field.

## **IN THE EVENT OF AN INJURY IN A PATIENT DURING THE THERAPY OR IMMEDIATELY AFTER, WHAT SHOULD BE DONE WHEN THE THERAPY IS PERFORMED BY A MEDICAL SPECIALIST OR BY A NON-SPECIALIST INDIVIDUAL.**

In the event that, for unknown reasons, the patients experience dizziness or numbness (electro-sensitivity), the therapy is discontinued and is repeated after a few days of resting. In the case of an accidental minimal redness (erythema) at the contact site between the electrodes and the body, a soothing skin cream is applied by a gentle massage at the end of the therapy.

**B. OFFICIAL DOCUMENTS ISSUED BY COMPETENT AUTHORITIES FOR THE APPROVAL, ENDORSEMENT AND MARKETING OF THE MAFG 03.01 UNIVERSAL ELECTROPHYSIOLOGICAL SYSTEM.**

- 1- THE INTERNATIONAL RECOGNITION AND APPROVAL DOCUMENT FOR THE MEDICAL DEVICE MAFG 03.01, ISSUED BY BUREAUVERITAS, IS THE EC CERTIFICATE. IN THIS CERTIFICATE, THE NAME OF THE MEDICAL DEVICE MAFG 03.01 IS “MAFG 03.01 UNIVERSAL ELECTROPHYSIOLOGICAL SYSTEM”, IN ACCORDANCE WITH THE INTERNATIONAL PROCEDURES.**
- 2- THE ISO CERTIFICATE OF THE MANUFACTURER SC EES SRL, BASED ON WHICH IT IS AUTHORISED TO MANUFACTURE THE MAFG 03.01 DEVICE ACCORDING TO THE INTERNATIONAL RULES.**
- 3- ENDORSEMENT FROM THE ROMANIAN MINISTRY OF HEALTH. THIS IS AN OPERATION ENDORSEMENT OF THE COMPANY PROFESSIONAL MEDICAL DEVICES SRL, WHO HOLDS THE EXCLUSIVE RIGHT TO SELL ALL TYPES OF MEDICAL DEVICES (INCLUDING THE MAFG 03.01 DEVICE) MANUFACTURED BY SC ECHIPAMENTE ELECTRONICE EES SRL (also the manufacturer of the MAFG 03.01 device. ) PROFESSIONAL MEDICAL DEVICES SRL is the company selling the MAFG 03.01 device worldwide.**
- 4- DECLARATION OF CONFORMITY AND WARRANTY CERTIFICATE, issued by the seller for each device.**
- 5- USER MANUAL of the MAFG 03.01 device, issued by the manufacturer.**
- 6- PATENT OF DR. DOBREA EMILIAN AND ENG. TOMESSCU ION ISSUED BY THE ROMANIAN STATE OFFICE FOR INVENTIONS AND TRADEMARKS FOR THE MAFG 03.01 DEVICE.**
- 7- RECOGNITION OF THE ABOVEMENTIONED PATENT IN ISRAEL**

### **C. INFORMATION ON THE INSTALLATION AND USE OF THE MAFG 03.01 DEVICE.**

To install and operate the MAFG 03-01 device, you will need a laptop of any brand - HP, ASUS, ACER, DELL, with i7 hardware, Windows 10 software installed and at least 2 USB3 ports, a power cable with multiple sockets and a small, preferably colour printer used to print the investigation and therapy charts. No other accessories are needed to install and operate the device.

Regarding the room where the therapies are performed using these devices, there are no specific architectural configurations to carry out a normal activity. You will need a space to install small desk, where the device, the laptop and the printer will be placed, an armchair (patient seat) and a chair for the therapist. It is recommended to remove from the room any devices that are not used for the therapy (operating TVs, open mobile phones) that can create magnetic or electrical fields and that can disrupt the therapy.

Several devices can be installed in a room, but please consider the installation of separation walls between the workstations, in order to protect the privacy of the patient and the confidentiality of the discussions between the patient and the therapist. A potential waiting room with patient reception and a toilet can serve the entire clinic. The waiting room is not required for each cabinet.

The staff using the device does not require medical studies, but it should be instructed directly and personally by the dealer who will issue a Training Certificate that entitles the holder to use the device for patient therapies.

It has been publicly proven that the use of the device has led to outstanding results in the treatment of diseases caused by pathogens and micro-organisms that the classical medicine reported as „untreatable”.

There are no other special technical rules to observe regarding the location of the device.

Your interest in purchasing a device at present or in the future is welcomed and you will be able to convince yourself of the special qualities of this outstanding medical invention.

The device is sold with automated software, with pre-installed procedures. Only the therapy frequency is introduced, the rest is automatically performed.

### **D. CHANGES TO THE DEVICE WITH CLASSIC SOFTWARE BY INTRODUCING A NEW SOFTWARE FOR DETECTION, PROCEDURES AND THERAPIES.**

Starting January 2018, the device uses a new software that includes automatic therapy procedures.

**THE NEW SOFTWARE** of the device includes:

**- Automatic therapy program using Grabovoj's frequencies - the therapist introduces only the frequency for the therapy, and the rest of the information is automatically processed by the device using new software.**

**- Automatic therapy program using Dr. Hulda Clark's frequencies, with the possibility to retrieve the working range directly from the diagnosis chart. The program assures a 6-fold reduction of the working time (from 5.30 hours for a 50 kHz therapy to 38 minutes !!!!).**

**Immediately after performing the chart (diagnosis), the therapist has the ability to automatically transfer information on the therapy range from the chart into the software, and the therapy will be done automatically without the need to enter any other information into the program, because everything is automatically processed by the new software.**

**Direct therapy using Dr. Hulda Clark's frequencies is also possible, and you will need to input only the start and stop frequencies, the rest being fully automatic.**

**The chart in the new software is made very easily using the cursor and not a succession of steps to change the stop frequency.**

**THE NEW SOFTWARE INCLUDES THE BENCHMARKS FOR CARCINOGENIC HEAVY METALS (65 pieces) and CARCINOGENIC DYES (7 pieces). These benchmarks are fundamental for the therapies aiming at removing heavy metals and dyes from the human body, both of which causing cancer. The MAFG 03.01 device is the only device that ensure the removal of these extremely dangerous components. By using the benchmarks, YOU NO LONGER NEED THE GERMAN VEGATEST DEVICE TO REMOVE CARCINOGENIC HEAVY METALS AND DYES. The new software includes 2 special procedures for removing metals, the duration to remove a heavy metal or dye from the human body being maximum 20 minutes. The set of benchmarks is stored in a special leather map, that is easy and convenient to transport and use.**

**SC PROFESSIONAL MEDICAL DEVICES SRL**

**Bucharest,  
October, 2018**